

AEROFIX2

Spray adhesive

Ideally suited to bonding light and medium weight materials

Features and Benefits

- High performance styrene based spray adhesive, specially developed for bonding light and medium weight materials, particularly fiber reinforcements such as glass and carbon fiber.
- Aerofix adhesive is clear, which avoids unwanted visible traces.
- Ease of use allows rapid coverage of large areas.
- Aerofix quickly bonds together a wide range of materials, including plastics, fabrics, breathers, foams and light woods, e.g. balsa.

INSTRUCTIONS FOR USE

- Shake the aerosol well before use and ensure that the surfaces to be bonded are clean and dry
- Hold the aerosol vertically and spray an even layer of adhesive from a distance of 25cm (10in). It must not have the
 appearance of being wet. If this is the case, spray from a little further away
- To achieve optimum adhesion, spray the adhesive onto both surfaces to be joined and wait around one minute so that
 the solvent present in the adhesive may evaporate
- Finally, press the two surfaces firmly together to ensure good adhesion takes place
- After each use, purge the aerosol whilst holding upside down

AVAILABILITY

Contents: 500ml/1pint

STORAGE

- Aerofix is supplied in a pressurized container. Protect from direct sunlight and do not expose to temperatures of more than 50°C (122°F)
- · Store and use well away from flames and all sources of ignition

HEALTH & SAFETY

Please refer to the product MSDS for safe handling, personal protective equipment recommendations and disposal considerations.

DISCLAIMER: The data and information provided in this document have been obtained from carefully controlled samples and are considered to be representative of the product described. Solvay does not express or imply any guarantee or warranty of any kind including, but not limited to, the accuracy, the completeness or the relevance of the data and information set out herein. Because the properties of this product can be significantly affected by the fabrication and testing techniques employed, and since Solvay does not control the conditions under which its products are tested and used, Solvay cannot guarantee the properties provided will be obtained with other processes and equipment. No guarantee or warranty is provided if the product is adapted for a specific use or purpose. Solvay declines any liability with respect to the use made by any third party of the data and information contained herein. Solvay has the right to change any data or information when deemed appropriate. All trademarks are the property of their respective owners. ©2016, Solvay. All rights reserved.

