

TECHNICAL DATA SHEET

160g Twill Weave Glassfibre cloth

Test Item		Standard Value	Average Value
WEAVE		Twill	Twill
WARP (TEX)		66	66
WEFT (TEX)		66	66
WIDTH (cm)		100 +/-0.5	100
WEIGHT (g/m ²)		160 +/-12	152
DENSITY (ends/cm)	Warp	12 +/-1	12
	Weft	12 +/-1	11
TENSILE STRENGTH (N/50 x 200mm)	Warp	≥700	825
	Weft	≥650	762
SIZING CONTENT (%)		0.40-0.80	0.43
MOISTURE CONTENT		≤ 0.20	0.15