



FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Date of issue: 3/12/2020 Revision date: 3/12/2020 Supersedes: 9/1/2014 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : FARECLA PROFILE PREMIUM LIQUID COMPOUND
Product code : PRL101, PRL106

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Abrasive polishing compound

1.2.2. Uses advised against

Restrictions on use : This material should not be used for any other purpose than the identified uses without expert advice. Improper use may cause potential health, safety and environmental risks.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Farecla Products Limited
Broadmeads
Ware, SG12 9HS - UK
T +44 (0)19 2046 5041 (8:30-16:30 Monday to Friday) - F +44 (0)19 2046 6557
technical@farecla.com - www.farecla.com

1.4. Emergency telephone number

Emergency number : +44 (0)19 2046 5041 (8:30-16:30 Monday to Friday)

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|------------------------------------------------------------------------------|-----------------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Specific target organ toxicity — Repeated exposure, Category 2 H373
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May cause damage to organs (central nervous system) through prolonged or repeated exposure (inhalation). Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

Signal word (CLP) : Warning
Hazardous ingredients : Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard statements (CLP) | : H373 - May cause damage to organs (central nervous system) through prolonged or repeated exposure (inhalation). H412 - Harmful to aquatic life with long lasting effects. |
| Precautionary statements (CLP) | : P260 - Do not breathe dust, vapours. P273 - Avoid release to the environment. P314 - Get medical advice/attention if you feel unwell. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| EUH-statements | : EUH208 - Contains BENZISOTHIAZOLINONE, 5-Chloro-2-methyl-3(2H)-isothiazolone, mixt. with 2-methyl-3(2H)-isothiazolone, TERPINEOL. May produce an allergic reaction. |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Aluminium Oxide | (CAS-No.) 1344-28-1 (EC-No.) 215-691-6 (REACH-no) 01-2119529248-35 | 10 – 30 | Not Classified |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | (CAS-No.) 64742-47-8 (EC-No.) 926-141-6 (REACH-no) 01-2119456620-43 | 10 – 30 | Asp. Tox. 1, H304 |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | (EC-No.) 919-164-8 (REACH-no) 01-2119473977-17 | 1 – 10 | Asp. Tox. 1, H304 STOT RE 1, H372 Aquatic Chronic 3, H412 |
| Hydrocarbons, C10, aromatics, <1% naphthalene | (EC-No.) 918-811-1 (REACH-no) 01-2119463583-34 | 1 – 10 | STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| 2-(4-methyl-1-cyclohex-3-enyl)propan-2-ol | (CAS-No.) 8000-41-7 (EC-No.) 232-268-1 (REACH-no) 01-2119553062-49 | 0.01 – 1 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| 1,2-Benzisothiazol-3(2H)-one | (CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6 (REACH-no) 01-2120761540-60 | < 0.05 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone | (CAS-No.) 55965-84-9 (EC-No.) 611-341-5;911-418-6 (EC Index-No.) 613-167-00-5 (REACH-no) 01-2120764691-48 | < 0.0015 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10) |

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Specific concentration limits: | | |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name | Product identifier | Specific concentration limits |
| 1,2-Benzisothiazol-3(2H)-one | (CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6 (REACH-no) 01-2120761540-60 | (0.05 ≤C < 100) Skin Sens. 1, H317 |
| 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone | (CAS-No.) 55965-84-9 (EC-No.) 611-341-5;911-418-6 (EC Index-No.) 613-167-00-5 (REACH-no) 01-2120764691-48 | (0.0015 ≤C < 100) Skin Sens. 1A, H317 (0.06 ≤C < 0.6) Eye Irrit. 2, H319 (0.06 ≤C < 0.6) Skin Irrit. 2, H315 (0.6 ≤C < 100) Skin Corr. 1C, H314 (0.6 ≤C < 100) Eye Dam. 1, H318 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|------------------------------------------------------------------|
| First-aid measures general | : Get medical advice/attention if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--------------------------------------------------|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : None known. |

5.2. Special hazards arising from the substance or mixture

| | |
|--------------------------------------------------|--------------------------------------------------------------------------------------|
| Fire hazard | : Unidentified organic compounds may be formed in fumes and smoke during combustion. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Advice for firefighters

| | |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| General measures | : Avoid contact with skin and eyes. Stop leak if safe to do so. Clean up any spills as soon as possible, using an absorbent material to collect it. |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|

6.1.1. For non-emergency personnel

| | |
|----------------------|----------------------------------------------------|
| Emergency procedures | : Ventilate spillage area. Do not breathe vapours. |
|----------------------|----------------------------------------------------|

6.1.2. For emergency responders

| | |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe vapours.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Aluminium Oxide (1344-28-1)

United Kingdom - Occupational Exposure Limits

| | |
|------------------------------|----------------------------------------------------------------------------|
| Local name | Aluminium oxides |
| WEL TWA (mg/m ³) | 10 mg/m ³ inhalable dust 4 mg/m ³ respirable dust |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves.

Hand protection:

Protective gloves. Nitrile rubber gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection:

The fine-dust mask with exhale Valve is recommended to use when dust and mist exceed exposure limits in air, according to EN149:2001 + A1:2009 FFP2 NR standard. The respiratory mask should be worn when respiratory hazards has been identified and evaluated. Respiratory protection should be always determined on quantitative exposure assessments.

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-------------------------------------------------|----------------------------------------------------|
| Physical state | : Liquid |
| Appearance | : Thick liquid. |
| Colour | : white. |
| Odour | : characteristic. |
| Odour threshold | : No Data Available |
| pH | : 7 – 8 |
| Relative evaporation rate (butylacetate=1) | : No Data Available |
| Melting point | : < 0 °C |
| Freezing point | : No Data Available |
| Boiling point | : 100 °C |
| Flash point | : > 93 °C |
| Auto-ignition temperature | : No Data Available |
| Decomposition temperature | : No Data Available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No Data Available |
| Relative vapour density at 20 °C | : No Data Available |
| Relative density | : 1.15 |
| Solubility | : Slightly soluble. |
| Partition coefficient n-octanol/water (Log Pow) | : No Data Available |
| Viscosity, kinematic | : 20000 mm ² /s 20°C |
| Viscosity, dynamic | : No Data Available |
| Explosive properties | : Product is not explosive. |
| Oxidising properties | : Non oxidizing material according to EC criteria. |
| Lower explosive limit (LEL) | : Not applicable. |
| Upper explosive limit (UEL) | : Not applicable. |

9.2. Other information

| | |
|-------------|-----------|
| VOC content | : 266 g/l |
|-------------|-----------|

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not Classified
Acute toxicity (dermal) : Not Classified
Acute toxicity (inhalation) : Not Classified

Aluminium Oxide (1344-28-1)

| | |
|---------------|--------------|
| LD50 oral rat | > 5000 mg/kg |
|---------------|--------------|

1,2-Benzisothiazol-3(2H)-one (2634-33-5)

| | |
|---------------|------------|
| LD50 oral rat | 1020 mg/kg |
|---------------|------------|

| | |
|-----------|-----------|
| LD50 oral | 670 mg/kg |
|-----------|-----------|

5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)

| | |
|---------------|----------|
| LD50 oral rat | 53 mg/kg |
|---------------|----------|

| | |
|-----------------|-------------|
| LD50 dermal rat | > 141 mg/kg |
|-----------------|-------------|

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)

| | |
|---------------|--------------|
| LD50 oral rat | > 5000 mg/kg |
|---------------|--------------|

| | |
|-----------------|--------------|
| LD50 dermal rat | > 5000 mg/kg |
|-----------------|--------------|

| | |
|----------------------------|--------------|
| LC50 inhalation rat (mg/l) | > 20 mg/l/4h |
|----------------------------|--------------|

2-(4-methyl-1-cyclohex-3-enyl)propan-2-ol (8000-41-7)

| | |
|---------------|------------|
| LD50 oral rat | 2900 mg/kg |
|---------------|------------|

| | |
|--------------------|--------------|
| LD50 dermal rabbit | > 3000 mg/kg |
|--------------------|--------------|

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

| | |
|---------------|-------------------------------------------------------------------------------------------|
| LD50 oral rat | > 15000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
|---------------|-------------------------------------------------------------------------------------------|

| | |
|----------------------------|----------------------------------------------------------------------------------------|
| LC50 inhalation rat (mg/l) | > 1.58 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
|----------------------------|----------------------------------------------------------------------------------------|

Hydrocarbons, C10, aromatics, <1% naphthalene

| | |
|--------------------|-----------------------------------------------------------------------------------------------|
| LD50 dermal rabbit | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
|--------------------|-----------------------------------------------------------------------------------------------|

Skin corrosion/irritation : Not Classified
pH: 7 – 8

Serious eye damage/irritation : Not Classified
pH: 7 – 8

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|-----------------------------------|------------------|
| Respiratory or skin sensitisation | : Not Classified |
| Germ cell mutagenicity | : Not Classified |
| Carcinogenicity | : Not Classified |
| Reproductive toxicity | : Not Classified |

Aluminium Oxide (1344-28-1)

| | |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOAEL (animal/male, F0/P) | 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | |
|----------------------|------------------|
| STOT-single exposure | : Not Classified |
|----------------------|------------------|

2-(4-methyl-1-cyclohex-3-enyl)propan-2-ol (8000-41-7)

| | |
|------------------------------|-------------------------|
| LOAEL (oral, rat) | > 2000 mg/kg bodyweight |
| LOAEL (dermal, rat/rabbit) | > 2000 mg/kg bodyweight |
| NOAEC (inhalation, rat, gas) | 2230 mg/l |

| | |
|------------------------|------------------------------------------------------------------------------------------------------------|
| STOT-repeated exposure | : May cause damage to organs (central nervous system) through prolonged or repeated exposure (inhalation). |
|------------------------|------------------------------------------------------------------------------------------------------------|

Aluminium Oxide (1344-28-1)

| | |
|--------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | 0.07 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) |
|--------------------------------------------------|---------------------------------------------------------------------------------------------------------|

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

| | |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------|
| NOAEL (dermal, rat/rabbit, 90 days) | ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------|

Hydrocarbons, C10, aromatics, <1% naphthalene

| | |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOAEL (oral, rat, 90 days) | 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity) |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | |
|-------------------|------------------|
| Aspiration hazard | : Not Classified |
|-------------------|------------------|

FARECLA PROFILE PREMIUM LIQUID COMPOUND

| | |
|----------------------|-------------------------------|
| Viscosity, kinematic | 20000 mm ² /s 20°C |
|----------------------|-------------------------------|

SECTION 12: Ecological information

12.1. Toxicity

| | |
|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Harmful to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Not Classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects. |
| Not rapidly degradable | |

Aluminium Oxide (1344-28-1)

| | |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| EC50 72h algae (1) | 1.05 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| EC50 72h algae (2) | 0.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|

1,2-Benzisothiazol-3(2H)-one (2634-33-5)

| | |
|----------------|-----------|
| EC50 Daphnia 1 | 0.99 mg/l |
|----------------|-----------|

5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)

| | |
|------------------------|---------------------------------------------------------------|
| LC50 fish 1 | 0.22 mg/l (rainbow trout) (OECD 203) |
| EC50 Daphnia 1 | 0.1 mg/l |
| EC50 Daphnia 2 | 0.0052 mg/l (Skeletonema costatum) (OECD 201) |
| EC50 72h algae (1) | 0.048 mg/l (Pseudokirchneriella subcapitata) (OECD 201) |
| NOEC chronic fish | 0.0098 mg/l 28 d (rainbow trout) (OECD 210) |
| NOEC chronic crustacea | 0.004 mg/l 21 d (Daphnia) (OECD 211) |
| NOEC chronic algae | 0.0012 mg/l 72 h (Pseudokirchneriella subcapitata) (OECD 201) |

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)

| | |
|-------------|----------|
| LC50 fish 1 | 2.2 mg/l |
|-------------|----------|

2-(4-methyl-1-cyclohex-3-enyl)propan-2-ol (8000-41-7)

| | |
|--------------------|------------------|
| LC50 fish 1 | 0.8 – 6.1 g/l |
| EC50 Daphnia 1 | 0.634 – 5.2 mg/l |
| EC50 72h algae (1) | 68 mg/l |

12.2. Persistence and degradability

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)

| | |
|-------------------------------|-------------------------------------------------|
| Persistence and degradability | No persistence data available for this product. |
|-------------------------------|-------------------------------------------------|

12.3. Bioaccumulative potential

1,2-Benzisothiazol-3(2H)-one (2634-33-5)

| | |
|-------------------------------------------------|-------------|
| Partition coefficient n-octanol/water (Log Pow) | 1.3 (25 °C) |
|-------------------------------------------------|-------------|

5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)

| | |
|-------------------------------------|-------------------------|
| Bioconcentration factor (BCF REACH) | 3.6 (calculated) S 1177 |
|-------------------------------------|-------------------------|

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)

| | |
|-------------------------------------------------|---------|
| Partition coefficient n-octanol/water (Log Kow) | 6 – 8.2 |
|-------------------------------------------------|---------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|-----------------------------------------|----------------|----------------|----------------|----------------|
| 14.1. UN number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| Reference code | Applicable on |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3(b) | FARECLA PROFILE PREMIUM LIQUID COMPOUND ; Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics ; 2-(4-methyl-1-cyclohex-3-enyl)propan-2-ol ; Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) ; Hydrocarbons, C10, aromatics, <1% naphthalene |
| 3(c) | FARECLA PROFILE PREMIUM LIQUID COMPOUND ; 2-(4-methyl-1-cyclohex-3-enyl)propan-2-ol ; Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) ; Hydrocarbons, C10, aromatics, <1% naphthalene |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 266 g/l

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

| | |
|---------|---------------------------------------------------------------------------------------------------|
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| IARC | International Agency for Research on Cancer |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| PBT | Persistent Bioaccumulative Toxic |
| SDS | Safety Data Sheet |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| BLV | Biological limit value |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| EC-No. | European Community number |
| EN | European Standard |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OEL | Occupational Exposure Limit |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| vPvB | Very Persistent and Very Bioaccumulative |

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|-----|--------------------|
| WGK | Water Hazard Class |
|-----|--------------------|

| Full text of H- and EUH-statements: | |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1B |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1A | Skin sensitisation, category 1A |
| STOT RE 1 | Specific target organ toxicity — Repeated exposure, Category 1 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH208 | Contains BENZISOTHIAZOLINONE, 5-Chloro-2-methyl-3(2H)-isothiazolone, mixt. with 2-methyl-3(2H)-isothiazolone, TERPINEOL. May produce an allergic reaction. |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.