

# West & Senior Limited

Milltown Street • Radcliffe • Manchester • M26 1WE • United Kingdom Tel +44 (0) 161 724 7131 • Fax +44 (0) 161 724 9519 http://www.westsenior.co.uk • info@westsenior.co.uk

## SAFETY DATA SHEET

### PY TRAFFIC YELLOW RAL1023 PIGMENT

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	PY TRAFFIC YELLOW RAL1023 PIGMENT	
Product number	WS40014A	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	COLOURING OF POLYESTER RESINS & GELCOATS.	
1.3. Details of the supplier of the safety data sheet		
Supplier	WEST AND SENIOR LIMITED. MILLTOWN STREET RADCLIFFE MANCHESTER. M26 1WE. TEL + 44 01617247131 FAX + 44 01617249519 info@westsenior.co.uk	
1.4. Emergency telephone number		
Emergency telephone	24 HOUR EMERGENCY TELEPHONE NUMBER : + 44 (0) 7930 595916	
SECTION 2: Hazards identif	ication	
2.1. Classification of the sub	stance or mixture	
Classification (EC 1272/2008	<u>8)</u>	
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
Environmental 2.2. Label elements	The product is not expected to be hazardous to the environment.	
Hazard statements	NC Not Classified	
Supplemental label information	EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.	
2.3. Other hazards		
This product does not contai	in any substances classified as PBT or vPvB.	

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

BARIUM SULPHATE		5-10%
CAS number: 7727-43-7	EC number: 231-784-4	REACH registration number: 01- 2119491274-35-0001
Classification Not Classified		
TITANIUM DIOXIDE		1-5%
CAS number: 13463-67-7	EC number: 236-675-5	REACH registration number: 01- 2119489379-17-0000
Classification Not Classified		
The full text for all hazard sta	atements is displayed in Section 16.	
Composition comments		e (CAS 13463-67-7) The Annex VI classification o ure according to its Note 10. No other disclosure

required under the latest EC Directives

#### **SECTION 4: First aid measures**

4.1. Description of first aid me	asures
General information	No specific recommendations. If in doubt, get medical attention promptly.
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues. None.
Skin contact	Remove affected person from source of contamination. Get medical attention if irritation persists after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms	s and effects, both acute and delayed
General information	Get medical attention if any discomfort continues.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting measure	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
l Insuitable extinguishing	Do not use water jet as an extinguisher, as this will spread the fire

**Unsuitable extinguishing** Do not use water jet as an extinguisher, as this will spread the fire. **media** 

5.2. Special hazards arising from	om the substance or mixture
Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Heating may generate flammable vapours. Vapours may form explosive mixtures with air.
5.3. Advice for firefighters	
Protective actions during firefighting	No specific firefighting precautions known.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	se measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid heat, flames and other sources of ignition. Provide adequate ventilation.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Avoid the spillage or runoff entering drains, sewers or watercourses.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	ns
Reference to other sections	For waste disposal, see section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Take precautionary measures against static discharges. Contaminated rags and cloths must be put in fireproof containers for disposal.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container. Keep separate from food, feedstuffs, fertilisers and other sensitive material.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	s/Personal protection
8.1. Control parameters Occupational exposure limits BARIUM SULPHATE	
Long-term exposure limit (8-hour TWA): 4 mg/m³ respirable dust Long-term exposure limit (8-hour TWA): 10 mg/m³ inhalable dust	
TITANIUM DIOXIDE	

EH40 WEL, Time Weighted Average (TWA):, Respirable dust. 4 mg/m3, 8 h

#### CARBON BLACK

Argentina 3.5, TWA Australia 3.0, TWA, inhalable Belgium 3.6, TWA Brazil 3.5, TWA Canada (Ontario) 3.0 TWA, inhalable China 4.0, TWA 8.0, TWA, STEL (15 min) Colombia 3.0, TWA, inhalable Czech Republic 2.0, TWA Egypt 3.5, TWA Finland 3.5, TWA; 7.0, STEL France - INRS 3.5, TWA/VME inhalable Germany – BeKGS527 0.5, TWA, respirable; 2.0, TWA, inhalable (DNEL values) Hong Kong 3.5, TWA Indonesia 3.5, TWA/NABs Ireland 3.5, TWA; 7.0, STEL Italy 3.5, TWA, inhalable Japan - MHLW 3.0 Japan - SOH 4.0, TWA; 1.0, TWA, respirable Korea 3.5, TWA Malaysia 3.5, TWA Mexico 3.5, TWA Russia 4.0, TWA Spain 3.5, TWA (VLA-ED) Sweden 3.0, TWA United Kingdom 3.5, TWA, inhalable; 7.0, STEL, inhalable EU REACH DNEL 2.0, TWA, inhalable; 0.5, TWA respirable United States 3.5, TWA, OSHA-PEL 3.0, TWA, ACGIH-TLV®, inhalable 3.5, TWA, NIOSH-REL

#### Ingredient comments

No exposure limits known for ingredient(s).

#### BARIUM SULPHATE (CAS: 7727-43-7)

DNEL	Workers - Inhalation; Long term systemic effects: 10 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 10 mg/m <sup>3</sup> Consumer - Inhalation; Long term systemic effects: 10 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 13000 mg/kg
PNEC	Fresh water; 115 μg/l STP; 62.2 mg/l Sediment (Freshwater); 600.4 mg/kg Soil; 207.7 mg/kg
	TITANIUM DIOXIDE (CAS: 13463-67-7)
DNEL	Workers - Inhalation; Long term local effects: 10 mg/m³ Professional - Inhalation; Long term local effects: 10 mg/m³ Consumer - Oral; Long term systemic effects: 700 mg/kg/day

PNEC	marine water; 0.0184 mg/l Fresh water; 0.184 mg/l Intermittent release; 0.193 mg/l STP; 100 mg/l Sediment, marine water; 100 mg/kg Sediment, Fresh water; 1000 mg/kg Soil; 100 mg/kg C.I. PIGMENT YELLOW 83 (CAS: 5567-15-7)	
DNEL	Workers - Dermal; Long term systemic effects: 45 mg/kg/day Workers - Inhalation; Long term local effects: 3 mg/m³ General population - Dermal; Long term systemic effects: 28 mg/kg/day General population - Oral; Long term systemic effects: 28 mg/kg/day	
	Trimethylolpropane (CAS: 77-99-6)	
DNEL	Workers - Inhalation; Long term systemic effects: 3.3 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 0.94 mg/kg Consumer - Inhalation; Long term systemic effects: 0.58 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 0.34 mg/kg Consumer - Oral; Long term systemic effects: 0.34 mg/kg	
	CARBON BLACK (CAS: 1333-86-4)	
DNEL	Workers - Inhalation; Long term : 0.5 mg/m³, respirable fraction Workers - Inhalation; Long term : 2 mg/m³, inhalable fraction	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	No specific ventilation requirements.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.	
SECTION 9: Physical and ch	hemical properties	

#### 9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid. or Coloured paste.	
	. <i>.</i>	

Odour	Aromatic.
Odour threshold	No information available.
рН	No information available.
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	>65°C
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Bulk density	No information available.
Solubility(ies)	Organic solvents. Insoluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Explosive under the influence of a flame	No
Oxidising properties	No information available.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous r	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	

Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of
	ignition.

#### 10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Peroxides.

#### 10.6. Hazardous decomposition products

Hazardous decompositionThis product contains a diaryl pigment. This product should not be used if the processing<br/>temperature exceeds 200°C because of possible thermal decomposition, which can, with<br/>prolonged exposure or further increased temperature, form e.g. traces of aromatic amines.<br/>3,3'-Dichloro-benzidine.<br/>Thermal decomposition may lead to formation of a multiplicity of compounds some of which<br/>may be hazardous. With incomplete combustion smoke and hazardous fumes and gases ,<br/>including carbon monoxide, may be formed.

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects	
Toxicological effects	Not classified.
Acute toxicity - oral	
Notes (oral LD₅₀)	Not relevant.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Not relevant.
Acute toxicity - inhalation	
Notes (inhalation LC <sub>50</sub> )	Not relevant.

Acute and chronic health	No specific health hazards known.
hazards	

#### Toxicological information on ingredients.

#### CARBON BLACK

Acute toxicity - oral	
Notes (oral LD₅₀)	LD₅₀ >8000 mg/kg, Oral, Rat
Germ cell mutagenicity	
Summary	In vivo mutagenicity in rats occurs by mechanisms secondary to a threshold effect and is a consequence of "lung overload," which leads to chronic inflammation and the release of genotoxic oxygen species. This mechanism is considered to be a secondary genotoxic effect and, thus, carbon black itself would not be considered to be mutagenic.
Genotoxicity - in vitro	Carbon black is not suitable to be tested directly in bacterial (Ames test) and other in vitro systems because of its insolubility. However, when organic solvent extracts of carbon black have been tested, results showed no mutagenic effects. Organic solvent extracts of carbon black can contain traces of polycyclic aromatic hydrocarbons (PAHs). A study to examine the bioavailability of these PAHs showed that they are very tightly bound to carbon black and are not bioavailable (Borm, 2005).

Genotoxicity - in vivo		In an experimental investigation, mutational changes in the hprt ene were reported in alveolar epithelial cells in the rat following inhalation exposure to carbon black (Driscoll, 1997). This observation is considered to be rat-specific and a consequence of "lung overload," which leads to chronic inflammation and release of reactive oxygen species. This is considered to be a secondary genotoxic effect and, thus, carbon black itself would not be considered to be mutagenic.		
Carcinogenicity				
IARC carcinoger	nicity	IARC Group 2B Possibly carcinogenic to humans.		
SECTION 12: Ecological infor	mation			
Ecotoxicity	Not rega	rded as dangerous for the environment.		
12.1. Toxicity				
Toxicity	Not cons	idered toxic to fish.		
12.2. Persistence and degrada	ability			
Persistence and degradability There are no data on the degradability of this product.				
12.3. Bioaccumulative potentia	al			
Partition coefficient	Not available.			
12.4. Mobility in soil				
Mobility	No information available.			
12.5. Results of PBT and vPv	B assessm	ent		
Results of PBT and vPvB assessment	No information available.			
12.6. Other adverse effects				
Other adverse effects	None kno	own.		
SECTION 13: Disposal consid	lerations			
13.1. Waste treatment method	ls			
Disposal methods	local Wa	of waste to licensed waste disposal site in accordance with the requirements of the ste Disposal Authority. Empty containers should be taken to an approved waste site for recycling or disposal.		
SECTION 14: Transport information				
General	-	luct is not covered by international regulations on the transport of dangerous goods ATA, ADR/RID).		
14.1. UN number				
Not applicable.				
14.2. UN proper shipping nam	le			
Not applicable.				
14.3. Transport hazard class(es)				
Not applicable.				
14.4. Packing group				

Not applicable.

#### 14.5. Environmental hazards

### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant. Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended).
EU legislation	Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
Guidance	A guide to local exhaust ventilation (LEV) HSG258 (as ammended) Workplace Exposure Limits EH40.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information			
Revision date	20/10/2021		
Revision	9		
Supersedes date	13/06/2019		
SDS number	40046		

The information contained within this document is presented in good faith and is believed to be correct. West and Senior Limited makes no representation as to the accuracy and/or completeness of this information. This information is issued on the condition that the user will determine the safety and suitability of products for their purposes prior to use. All technical details and values presented are deemed typical and do not constitute a delivery specification.