



WEST & SENIOR LTD

Revision date 13-05-2025

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008 Including amendments

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EP FASCOL RACING GREEN PIGMENT
Product Code(s) WS40524A
Safety data sheet number 40177
Unique Formula Identifier (UFI) XC8K-C3UU-J00X-PH9J
Pure substance/mixture Mixture

Contains bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE; Bisphenol F diglycidyl ether, reaction mass of isomers; BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} ; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Colouring of epoxide compound & systems. For industrial use only.

1.3. Details of the supplier of the safety data sheet

Importer	Supplier
WSEU LIMITED	West & Senior Ltd
The Penthouse Floor	Milltown Street
5 Lapps Quay	Radcliffe
Cork	Manchester
Ireland	M26 1WE
T12 RW7D	UK

For further information, please contact

E-mail address info@westsenior.co.uk

Non-Emergency Telephone Number + 44 01617247131

1.4. Emergency telephone number

Emergency Telephone +44 0161 724 7131 Only available 8am to 4pm, Monday to Friday (UK Time Zone)

Emergency Telephone - §45 - (EC)1272/2008

Europe | 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin irritation	Category 2 - (H315)
Eye irritation	Category 2 - (H319)

Skin sensitization	Category 1 - (H317)
Reproductive toxicity	Category 1B - (H360F)
Hazardous to the aquatic environment - chronic	Category 2 - (H411)

2.2. Label elements

Contains bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE; Bisphenol F diglycidyl ether, reaction mass of isomers; BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} ; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.



Signal word

Danger

Hazard statements

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H360F - May damage fertility.

H411 - Toxic to aquatic life with long lasting effects.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P308 + P313 - IF exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P391 - Collect spillage.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Other hazards Harmful to aquatic life.

PBT & vPvB None known.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No.	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No.	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)

					1272/2008 [CLP]			
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE	1675-54-3	30-60%	01-21194566 19-26-0000	(603-073-00-2) 216-823-5	Aquatic Chronic 2 (H411) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) Skin Irrit. 2 (H315)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%	-	-
Bisphenol F diglycidyl ether, reaction mass of isomers	-	10-30%	01-21194543 92-40-XXXX	701-263-0	Aquatic Chronic 2 (H411) Skin Sens. 1 (H317) Skin Irrit. 2 (H315)	-	-	-
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT}	25068-38-6	10-30%	01-21194566 19-26-0000	(603-074-00-8)	Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) Aquatic Chronic 2 (H411)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%	-	-
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2	5-10%	01-21194852 89-22-0000	(603-103-00-4)	Skin Sens. 1 (H317) Skin Irrit. 2 (H315) Repr. 1B (H360F)	-	-	-
C.I. PIGMENT GREEN 7	1328-53-6	5-10%	01-21194593 33-39-0000	215-524-7	No data available	-	-	-
TITANIUM DIOXIDE	13463-67-7	5-10%	01-21194893 79-17-0000	236-675-5	No data available	-	-	-
C.I. PIGMENT YELLOW 13	5102-83-0	5-10%	01-21194754 51-39-0000	225-822-9	No data available	-	-	-
CARBON BLACK	1333-86-4	1-5%	01-21193848 22-32-0000	215-609-9	No data available	-	-	-
Trimethylolpropane	77-99-6	<1%	01-21194867 99-10-0000	201-074-9	Repr. 2 (H361fd)	-	-	-
SILICA (CRYSTALLINE)	14808-60-7	<0.01%	No data available	238-878-4	No data available	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE 1675-54-3	11266.1	20000	No data available	No data available	No data available
BISPHENOL	11400	No data available	No data available	No data available	No data available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
A-(EPICHLORHYDRIN) { REACTION PRODUCT} 25068-38-6					
oxirane, mono[(C12-14-alkyloxy) methyl] derivs. 68609-97-2	17100	4000	No data available	No data available	No data available
C.I. PIGMENT GREEN 7 1328-53-6	5000	No data available	No data available	No data available	No data available
TITANIUM DIOXIDE 13463-67-7	10000	No data available	5.0951	No data available	No data available
C.I. PIGMENT YELLOW 13 5102-83-0	5000	3000	No data available	No data available	No data available
CARBON BLACK 1333-86-4	15400	2000	0.0046	No data available	No data available
Trimethylolpropane 77-99-6	14100	10000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Nanoforms

CARBON BLACK (1333-86-4)

Name of (set of) nanoform(s)	Particle characteristics	Value	Method
solid: nanoform, surface-treated	Particle size distribution - d10	7-29 nm	No information available
solid: nanoform, surface-treated	Particle size distribution - d50	10-50 nm	No information available
solid: nanoform, surface-treated	Particle size distribution - d90	15-85 nm	No information available

Additional information

This mixture contains $\geq 1\%$ Titanium Dioxide (CAS 13463-67-7) The Annex VI classification of Titanium Dioxide does not apply to this mixture according to its Note 10.

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling**Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Storage class (TRGS 510)

Storage class 6.1C.

7.3. Specific end use(s)

Risk Management Methods (RMM) No information available.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} 25068-38-6	-	-	-	TWA: 1.0 mg/m ³ ;	-
C.I. PIGMENT GREEN 7 1328-53-6	-	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ STEL 4 mg/m ³ STEL 0.4 mg/m ³	-	-	-
TITANIUM DIOXIDE 13463-67-7	-	TWA-TMW: 5 mg/m ³ ; alveolar dust, respirable fraction STEL-KZGW: 10 mg/m ³ (2 X 60 min); alveolar dust, respirable fraction	TWA: 10 mg/m ³ ;	TWA: 10.0 mg/m ³ ; respirable dust	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
CARBON BLACK 1333-86-4	-	-	TWA: 3 mg/m ³	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m ³ ;	TWA-TMW: 0.05 mg/m ³ ; alveolar dust, respirable fraction	TWA: 0.1 mg/m ³ ; alveolar dust TWA: 0.05 mg/m ³ ;	TWA: 0.1 mg/m ³ ; respirable fraction	TWA-GVI: 0.1 mg/m ³ ; respirable dust; respirable particle
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
C.I. PIGMENT GREEN 7 1328-53-6	-	-	-	-	TWA: 0.02 mg/m ³
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 6 mg/m ³ ; STEL: 12 mg/m ³ ;	TWA: 5 mg/m ³ ;	-

CARBON BLACK 1333-86-4	-	TWA: 2.0 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m ³ ; respirable dust fraction	TWA: 0.1 mg/m ³ ; dust	TWA: 0.3 mg/m ³ ; total TWA: 0.1 mg/m ³ ; respirable STEL: 0.6 mg/m ³ ; total STEL: 0.2 mg/m ³ ; respirable	TWA: 0.1 mg/m ³ ; inhalable dust	TWA: 0.05 mg/m ³ ; respirable dust
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE 1675-54-3	-	-	skin sensitizer	-	-
C.I. PIGMENT GREEN 7 1328-53-6	-	-	-	-	TWA: 0.1 mg/m ³ STEL: 0.2 mg/m ³
TITANIUM DIOXIDE 13463-67-7	TWA-VME: 10 mg/m ³ ;	TWA-AGW; 1.25 mg/m ³ (exposure factor 2); respirable fraction TWA-AGW; 10 mg/m ³ (exposure factor 2); inhalable fraction	TWA-MAK: 0.3 mg/m ³ ; II(8);respira ble fraction Peak: 2.4 mg/m ³ ; respirable fraction	TWA: 10 mg/m ³ ; inhalable fraction TWA: 5 mg/m ³ ; respirable fraction	-
C.I. PIGMENT YELLOW 13 5102-83-0	-	-	TWA: 0.3 mg/m ³ Peak: 2.4 mg/m ³	-	-
CARBON BLACK 1333-86-4	TWA: 3.5 mg/m ³	-	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3 mg/m ³
SILICA (CRYSTALLINE) 14808-60-7	TWA-VME: 0.1 mg/m ³ ; alveolar fraction	-	-	TWA: 0.1 mg/m ³ ; respirable dust fraction	TWA-AK: 0.1 mg/m ³ ; respirable fraction
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
C.I. PIGMENT GREEN 7 1328-53-6	-	-	TWA: 1 mg/m ³	-	-
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³ ; total inhalable dust TWA: 4 mg/m ³ ; respirable dust STEL: 30 mg/m ³ (calculated); respirable dust STEL: 12 mg/m ³ (calculated);	-	TWA: 10 mg/m ³ ;	TWA: 10 mg/m ³ ;	TWA-IPRD: 5 mg/m ³ ;
CARBON BLACK 1333-86-4	TWA: 3 mg/m ³ STEL: 15 mg/m ³	-	TWA: 3 mg/m ³	-	-
Trimethylolpropane 77-99-6	-	-	-	-	Ceiling: 5 ppm
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m ³ ; respirable dust STEL: 0.3 mg/m ³ ;	TWA: 0.1 mg/m ³ ; respirable fraction	TWA: 0.025 mg/m ³ ; respirable fraction	-	TWA-IPRD: 0.1 ppm; respirable fraction
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
TITANIUM DIOXIDE 13463-67-7	-	-	-	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³ (value calculated);	TWA-NDS: 10 mg/m ³ ; inhalable fraction STEL-NDSch: 30 mg/m ³ ;
CARBON BLACK 1333-86-4	-	-	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 4 mg/m ³
SILICA (CRYSTALLINE)	-	-	TWA: 0.075 mg/m ³ ;	TWA: 0.05 mg/m ³ ;	TWA-NDS: 0.1

14808-60-7			respirable fraction	respirable dust TWA: 0.3 mg/m ³ ; total dust STEL: 0.9 mg/m ³ (value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); total dust STEL: 0.15 mg/m ³ (value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); respirable dust	mg/m ³ ; respirable fraction
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
C.I. PIGMENT GREEN 7 1328-53-6	-	-	-	-	TWA: 0.01 mg/m ³
TITANIUM DIOXIDE 13463-67-7	TWA (VLE-MP): 10 mg/m ³ ;	TWA: 10 mg/m ³ ; STEL: 15 mg/m ³ ;	TWA: 5 mg/m ³ ;	-	TWA-(VLA-ED): 10 mg/m ³ ;
C.I. PIGMENT YELLOW 13 5102-83-0	-	-	TWA: 8 mg/m ³ STEL: 40 mg/m ³	-	-
CARBON BLACK 1333-86-4	TWA: 3 mg/m ³	-	TWA: 2 mg/m ³ TWA: 10 mg/m ³	-	TWA: 3.5 mg/m ³
SILICA (CRYSTALLINE) 14808-60-7	TWA (VLE-MP): 0.025 mg/m ³ ; respirable fraction	TWA: 0.1 mg/m ³ ; dust, respirable fraction	TWA: 0.1 mg/m ³ ; STEL: 0.5 mg/m ³ ;	TWA: 0.05 mg/m ³ ; respirable fraction	TWA-(VLA-ED): 0.05 mg/m ³ ; respirable fraction
Chemical name	Sweden		Switzerland		United Kingdom
C.I. PIGMENT GREEN 7 1328-53-6	-		-		TWA: 1 mg/m ³ STEL: 2 mg/m ³
TITANIUM DIOXIDE 13463-67-7	TLV-NGV: 5 mg/m ³ ; total dust		TWA-MAK: 3 mg/m ³ ; respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust		TWA: 10 mg/m ³ ; total inhalable TWA: 4 mg/m ³ ; respirable STEL: 30 mg/m ³ ; total inhalable STEL: 12 mg/m ³ ; respirable
CARBON BLACK 1333-86-4	NGV: 3 mg/m ³		-		TWA: 3.5 mg/m ³ STEL: 7 mg/m ³
Trimethylolpropane 77-99-6	NGV: 5 mg/m ³		-		-
SILICA (CRYSTALLINE) 14808-60-7	TLV-NGV: 0.1 mg/m ³ ; respirable fraction		TWA-MAK: 0.15 mg/m ³ ; respirable dust		TWA: 0.1 mg/m ³ ; respirable fraction STEL: 0.3 mg/m ³ ; respirable

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
SILICA (CRYSTALLINE) 14808-60-7	-		-	-	-

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
bis[4-(2,3-EPOXYPROPOXY)PHENYL] PROPANE 1675-54-3	-	0.75 mg/kg bw/day [4] [6]	4.93 mg/m ³ [4] [6]
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	-	1 mg/kg bw/day [4] [6]	3.6 mg/m ³ [4] [6]
C.I. PIGMENT YELLOW 13 5102-83-0	-	45 mg/kg bw/day [4] [6]	3 mg/m ³ [5] [6]
CARBON BLACK 1333-86-4	-	-	1 mg/m ³ [4] [6] 0.5 mg/m ³ [5] [6]
Trimethylolpropane 77-99-6	-	0.94 mg/kg bw/day [4] [6]	3.3 mg/m ³ [4] [6]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
bis[4-(2,3-EPOXYPROPOXY)PHENYL] PROPANE 1675-54-3	0.5 mg/kg bw/day [4] [6]	-	0.87 mg/m ³ [4] [6]
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	0.5 mg/kg bw/day [4] [6]	-	0.87 mg/m ³ [4] [6]
C.I. PIGMENT YELLOW 13 5102-83-0	28 mg/kg bw/day [4] [6]	-	-
CARBON BLACK 1333-86-4	-	-	0.06 mg/m ³ [4] [6]
Trimethylolpropane 77-99-6	0.34 mg/kg bw/day [4] [6]	-	0.58 mg/m ³ [4] [6]

Notes

[4]	Systemic health effects.
[6]	Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE	0.006 mg/L	0.018 mg/L	0.0006 mg/L	0.0018 mg/L	-

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
1675-54-3 oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	0.1058 mg/L	0.072 mg/L	0.01058 mg/L	-	-
TITANIUM DIOXIDE 13463-67-7	0.127 mg/l	0.61 mg/l	1 mg/l	0.61 mg/l	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE 1675-54-3	0.341 mg/kg sediment dw	0.0341 mg/kg sediment dw	10 mg/L	0.0647 mg/kg soil dw	11 mg/kg food
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	307.16 mg/kg sediment dw	30.72 mg/kg sediment dw	10 mg/L	1.234 mg/kg soil dw	-
TITANIUM DIOXIDE 13463-67-7	1000 mg/kg sediment dw	100 mg/kg sediment dw	100 mg/L	100 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls

No information available.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand protection

Wear chemically resistant gloves (tested in accordance to EN 374-1 Type C or greater to be assessed by local risk assessment and physical activity) in combination with employee training. Glove material : Neoprene , Nitriles. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Wear suitable gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Use appropriate respiratory protection.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Coloured paste, Liquid, or
Physical state Liquid

Color green
 Odor Slight
 Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Boiling point or initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Lower and upper explosion limit/flammability limit		None known
Lower explosion limit	No data available	
Upper explosion limit	No data available	
Flash point	150 °C	None known
Autoignition temperature	1929 - 400 °C	(ASTM D 1929) 400°C
Decomposition temperature		None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility	No data available	None known
Partition coefficient n-octanol/water (log value)	No data available	None known
Vapor pressure	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products This product contains a diaryl pigment. This product should not be used if the processing temperature exceeds 200°C because of possible thermal decomposition, which can, with prolonged exposure or further increased temperature, form e.g. traces of aromatic amines. 3,3'-Dichloro-benzidine.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	55,069.70 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE	= 11300 µL/kg (Rat)	= 20000 mg/kg (Rabbit)	-
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT}	= 11400 mg/kg (Rat)	-	-
oxirane,	= 17100 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-

mono[(C12-14-alkyloxy)methyl] derivs.			
C.I. PIGMENT GREEN 7	> 5000 mg/kg (Rat)	-	-
TITANIUM DIOXIDE	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
C.I. PIGMENT YELLOW 13	> 5 g/kg (Rat)	> 3000 mg/kg (Rat)	> 4250 mg/L (Rat) 4 h
CARBON BLACK	> 15400 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 4.6 mg/m ³ (Rat) 4 h
Trimethylolpropane	= 14100 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 0.85 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Carbon black is not suitable to be tested directly in bacterial (Ames test) and other in vitro systems because of its insolubility. However, when organic solvent extracts of carbon black have been tested, results showed no mutagenic effects. Organic solvent extracts of carbon black can contain traces of polycyclic aromatic hydrocarbons (PAHs). A study to examine the bioavailability of these PAHs showed that they are very tightly bound to carbon black and are not bioavailable (Borm, 2005). In an experimental investigation, mutational changes in the hprt gene were reported in alveolar epithelial cells in the rat following inhalation exposure to carbon black (Driscoll, 1997). This observation is considered to be rat-specific and a consequence of "lung overload," which leads to chronic inflammation and release of reactive oxygen species. This is considered to be a secondary genotoxic effect and, thus, carbon black itself would not be considered to be mutagenic.

Carcinogenicity In 2006 IARC re-affirmed its 1995 finding that there is "inadequate evidence" from human health studies to assess whether carbon black causes cancer in humans. IARC concluded that there is "sufficient evidence" in experimental animal studies for the carcinogenicity of carbon black. IARC's overall evaluation is that carbon black is "possibly carcinogenic to humans (Group 2B)". This conclusion was based on IARC's guidelines, which generally require such a classification if one species exhibits carcinogenicity in two or more animal studies (IARC, 2010). Solvent extracts of carbon black were used in one study of rats in which skin tumors were found after dermal application and several studies of mice in which sarcomas were found following subcutaneous injection. IARC concluded that there was "sufficient evidence" that carbon black extracts can cause cancer in animals (Group 2B).

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects. Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
C.I. PIGMENT GREEN 7	-	LC50: =752.4mg/L (96h, Lepomis macrochirus)	-	-
Trimethylolpropane	-	-	-	EC50: =13000mg/L (48h, Daphnia species) EC50: 10330 - 16360mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE	2.33
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	3.77
C.I. PIGMENT GREEN 7	-0.4
C.I. PIGMENT YELLOW 13	1.8
Trimethylolpropane	-0.47

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE	Not PBT/vPvB
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT}	Not PBT/vPvB
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	Not PBT/vPvB
C.I. PIGMENT GREEN 7	Not PBT/vPvB
TITANIUM DIOXIDE	Not PBT/vPvB
C.I. PIGMENT YELLOW 13	Not PBT/vPvB

CARBON BLACK	Not PBT/vPvB
Trimethylolpropane	Not PBT/vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number UN3082
14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers)
14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environmental hazards Yes
14.6 Special precautions for user
Special Provisions A97, A158, A197, A215
ERG Code 9L
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III

IMDG

14.1 UN number or ID number UN3082
14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers)
14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environmental hazards Yes
Marine pollutant indicator P
Marine pollutant name bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers
14.6 Special precautions for user
Special Provisions 274, 335, 375, 969
EmS-No. F-A, S-F
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III, Marine pollutant
14.7 Maritime transport in bulk No information available

according to IMO instruments

RID

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601, 650
Classification code	M6

ADR

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III, (-)
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601, 650
Classification code	M6
Tunnel restriction code	(-)

ADN

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III
14.5 Environmental hazard	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601, 650
Classification code	M6
Equipment Requirements	PP

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
CARBON BLACK - 1333-86-4	RG 16, RG 16bis
SILICA (CRYSTALLINE) - 14808-60-7	RG 25

Germany

Chemical Prohibition Ordinance (ChemVerbotsV) This product is subject to requirements and restrictions regarding handling and delivery

Chemical name	ANNEX I
SILICA (CRYSTALLINE) 14808-60-7	1.2

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
SILICA (CRYSTALLINE)	5.2.7.1.1	-

TRGS 905

Not applicable

Netherlands**Carcinogenic, mutagenic and reproductive toxic effects**

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
SILICA (CRYSTALLINE) - 14808-60-7	Present	-	-

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable
Storage of Hazardous Material SC 10/12
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Not applicable
Major Accidents Ordinance SR 814.012 Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE - 1675-54-3	Use restricted. See entry 75.	-
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} - 25068-38-6	75	-
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. - 68609-97-2	Use restricted. See entry 75.	-
C.I. PIGMENT GREEN 7 - 1328-53-6	Use restricted. See entry 75.	-
TITANIUM DIOXIDE - 13463-67-7	75	-
C.I. PIGMENT YELLOW 13 - 5102-83-0	Use restricted. See entry 75.	-
CARBON BLACK - 1333-86-4	Use restricted. See entry 75.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable.

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
CARBON BLACK - 1333-86-4	Plant protection agent
SILICA (CRYSTALLINE) - 14808-60-7	Plant protection agent

Explosives Precursors Marketing and Use (2019/1148)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status
TCSI	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment**Chemical Safety Report** No information available**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H360F - May damage fertility
H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child
H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitizers		

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian Industrial Chemicals Introduction Scheme (AICIS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 13-05-2025

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
Disclaimer

The information contained within this document is presented in good faith and is believed to be correct. West and Senior Limited makes no representation as to the accuracy and/or completeness of this information. This information is issued on the condition that the user will determine the safety and suitability of products for their purposes prior to use. All technical details and values presented are deemed typical and do not constitute a delivery specification.

End of Safety Data Sheet