

Report Date: 03/03/2010



Unit 2B, Rekendyke Industrial Estate,
South Shields, Tyne and Wear
United Kingdom NE33 5BZ
tel: +44 (0)191 4975134
fax: +44 (0)191 4565487
email: sales@ecfibreglasssupplies.co.uk

SAFETY DATA SHEET

PY TRANSLUCENT YELLOW PIGMENT

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY UNDERTAKING

PRODUCT NAME	PY TRANSLUCENT YELLOW PIGMENT
PRODUCT NO	WS08953A
APPLICATION	COLOURING OF POLYESTER RESINS AND GELCOATS
SUPPLIER	EAST COAST FIBREGLASS SUPPLIES LTD 2B REKENDYKE INDUSTRIAL ESTATE SOUTH SHIELDS TYNE & WEAR NE33 5BZ +44 (0)191 4975134 sales@ecfibreglasssupplies.co.uk

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

ENVIRONMENT

The product is not expected to be hazardous to the environment.

3 COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS

None.

4 FIRST AID MEASURES

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

Rinse mouth thoroughly. Drink plenty of water. Get medical attention immediately!

SKIN CONTACT

Remove affected person from source of contamination. Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if any discomfort continues.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes and get medical attention. Get medical attention promptly if symptoms occur after washing.

5 FIRE FIGHTING METHODS

EXTINUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer.

Report Date: 03/03/2010

PY TRANSLUCENT YELLOW PIGMENT

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Wear full protective clothing for prolonged exposure and/or high concentrations.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container. Keep separate from food, feedstuffs, fertilisers and other sensitive material.

8 PROTECTIVE EQUIPMENT

PROTECTIVE EQUIPMENT



ENGINEERING MEASURES

No particular ventilation requirements.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Viscous Liquid
ODOUR	Aromatic.
FLASH POINT	>65

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

HAZARDOUS DECOMPOSITION PRODUCTS

Not Known.

11 TOXICOLOGICAL INFORMATION

HEALTH WARNINGS

No specific health warnings noted.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous to the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

PY TRANSLUCENT YELLOW PIGMENT

Report Date: 03/03/2010

14 TRANSPORT INFORMATION

GENERAL Not classified as dangerous in the meaning of transport regulations

15 REGULATORY INFORMATION

RISK PHRASES NC Not classified.

SAFETY PHRASES NC Not classified.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES


Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

16 OTHER INFORMATION

INFORMATION SOURCES

Dangerous Properties of Industrial Materials Report, N.Sax et.al.

REVISION DATE 01:JAN:2009



East Coast
Fibreglass Supplies